



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/717,001	11/19/2003	Walter Cornell	PC-1088DIV	7575

23717 7590 06/22/2005

LAW OFFICES OF BRIAN S STEINBERGER
101 BREVARD AVENUE
COCOA, FL 32922

EXAMINER

KATCHEVES, BASIL S

ART UNIT PAPER NUMBER

3635

DATE MAILED: 06/22/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/717,001

Applicant(s)

CORNELL ET AL.

Examiner

Basil Katcheves

Art Unit

3635

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 25 April 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-30 is/are pending in the application.
- 4a) Of the above claim(s) 1-20 and 27-30 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 21-26 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

Election/Restrictions

Applicant's election with traverse of group II in the reply filed on 4/25/05 is acknowledged. The traversal is on the ground(s) that there is no separate search required since the groups are in class 52. However, applicant should note that class 52 is a very broad class and includes most construction components used with a wide variety of structures. This is not found persuasive because class 52 includes a large variety of patentably distinct building components.

The requirement is still deemed proper and is therefore made FINAL.

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 21-26 are rejected under the judicially created doctrine of double patenting over claims of U. S. Patent No. 6,679,025 since the claims, if allowed, would improperly extend the "right to exclude" already granted in the patent.

The subject matter claimed in the instant application is fully disclosed in the patent and is covered by the patent since the patent and the application are claiming common subject matter, as follows:

Claims 21, 25 and 26 are a substantial duplicate of claim 1 of '025.

Claim 22 is a substantial duplicate of claim 12 of '025.

Claim 23 is a substantial duplicate of claim 10 of '025.

Claim 24 is a substantial duplicate of claim 15 of '025.

Furthermore, there is no apparent reason why applicant was prevented from presenting claims corresponding to those of the instant application during prosecution of the application which matured into a patent. See *In re Schneller*, 397 F.2d 350, 158 USPQ 210 (CCPA 1968). See also MPEP § 804.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 21, 22 and 24-26, are rejected under 35 U.S.C. 102(b) as being anticipated by U.S. Patent No. 5,450,695 to Desai.

Regarding claim 21, Desai discloses a method of building a tower which includes a nip assembly (fig. 14: 34) attached to a top platform (fig. 14: 32), both the nip assembly and top platform simultaneously raised to build the tower (figs. 13 & 14).

Regarding claim 22, Desai discloses rails (fig. 8: see cross rails adjacent 28 & 30).

Regarding claim 24, Desai discloses the use of support columns (fig. 2: 66).

Regarding claim 25, Desai discloses a platform supported by columns (fig. 7) with an opening through, a nip assembly (fig. 7: 34) mounted to the support platform (fig. 7: 32), the nip and support platform lifted through the central opening (as shown in fig. 3A), and the support member attached to the platform (fig. 8).

Regarding claim 26, Desai discloses the nip pre attached to the support member before lifting.

Claim 21 is rejected under 35 U.S.C. 102(b) as being anticipated by U.S. Patent No. 2,974,760 to Woolslayer et al.

Regarding claims 21, 22 and 24, Woolslayer discloses a method of assembling a tower by lifting, simultaneously, a nip assembly (fig. 3: 43) and top platform (fig. 3: 41) in one lift.

Regarding claim 22, Woolslayer discloses rails (fig. 3: cross rails adjacent 4).

Regarding claim 24, Woolslayer discloses the platform as having support columns (fig. 3: 4).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claim 23 is rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 5,450,695 to Desai.

Regarding claim 23, Desai does not disclose stairs. Desai discloses a ladder for allowing access to the tower. It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify Desai by adding stairs to the tower platform in order to improve access safety, as stairs are commonly found on towers to provide access.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

The cited patents listed on the included form PTO-892 further show the state of the art with respect to ***** in general.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Basil Katcheves whose telephone number is

Art Unit: 3635

(571) 272-6846. The examiner can normally be reached on Monday-Friday from 7:30 am to 4:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Carl Friedman, can be reached at (571) 272-6842.

BK


Basil Katcheves

6/16/05

Primary Examiner AU 3635